



GeM
Government
e Marketplace



**PROMISING TO SERVE GRACEFUL
FURNITURE TO ALL AREAS OF LIFE .**

PROGRACE»»
STYLE & SPACE TOGETHER

- INSTITUTIONAL FURNITURE
- CLASSROOM FURNITURE
- OFFICE FURNITURE
- HOSPITAL FURNITURE
- SEATING COLLECTION

- STORAGE SOLUTIONS
- HOSTEL FURNITURE
- LAB FURNITURE
- SMART CLASSROOM
- INTERACTIVE PANELS

— www.prograce.co —
www.prograce48@gmail.com

MISSION

- We shall be partners in progress with our customers by exceeding their expectations through continuous evolution and up gradation of our products and services, always.
- We shall be preferred employers fostering an environment that is conducive to performance, achievement, growth and development of every member of our team.
- We shall conduct business in a fair, honest & ethical manner that will maximize business returns and make associates proud of their association with us.
- We shall always immerse ourselves in constant product innovation to ensure highest quality and sustainability in our offerings.

VISION

- Our vision & philosophy is to challenge ourselves continuously to create a better tomorrow for our customers, employees, the nation, and the society at large.

ABOUT US

LATE SH RAM LAL MANGI, founder of M/S PUNJAB TRUNK HOUSE started business in 1975. As an experienced entrepreneur he is progressively establishing a high quality, state-of-the-art technology with a vision of providing best quality of office and institutional furniture in India. Prograce is one of the leading furniture manufacturing firm in punjab for the last 46 years. With plans to expand dealers network all over India. We manufacture state-of- the-art products with latest technology & finest designs appreciated all over the country. Utmost care is given while manufacturing each and every product to ensure the excellent quality standards through automated machines With a very rich experience, we became a leading company in furniture manufacturing and selling. With modernized production base, skillful workers and production equipment we formed a strong production team.

LIST OF PLANT AND MACHINERY

PROGRACE»»
STYLE & SPACE TOGETHER



FIBER LASER CUTTING MACHINE



CNC BENDING MACHINE



CNC SHEARING MACHINE



POWER COATING PLANT



AUTOMATIC PIPE BENDING MACHINE



TURRET MACHINE



AUTOMATIC PIPE CUTTING MACHINE



PANEL SAW MACHINE



MULTIBORING MACHINE



THROUGHFEED EDGE BENDING MACHINE



POSTFORMING MACHINE



COLD PRESS MACHINE



CNC ROUTER MACHINE



MIG WELDING MACHINES

www.prograce.co

CERTIFICATIONS WITH PICTURES



WE ARE PROUD TO ANNOUNCE THAT
WE ARE MANUFACTURING OVER 150 CATEGORIES
OF FURNITURE ITEMS AND SUPPLYING TO MORE THAN 17 STATES
DIRECTLY AND INDIRECTLY THROUGH OUR CHANNEL PARTNERS.

PROGRACE»»
STYLE & SPACE TOGETHER

MANUFACTURING PLANT ADDRESS



NEAR GOLDEN LION CANTEEN,
SHAMSHER NAGAR, SIRHIND (140406),
DISTRICT SHRI FATEHGARH SAHIB, PUNJAB

OFFICE ADDRESS (PUNJAB)



M/S PUNJAB TRUNK HOUSE ,
NEAR TRIVENI MAHADEV SHIV MANDIR ,
OLD GRAIN MARKET SIRHIND(140406), PUNJAB

M. 78143-26668 , 9815092348

OFFICE ADDRESS (BIHAR)



WHITE & WHITE , KAMTARAM SAKHI ENCLAVE
BESIDE DAYANAND BOY'S SCHOOL, MITHAPUR ,
PATNA (800001) PATNA , BIHAR

TEL – 06124143780, M. 7677117160 , 7654555111

EMAIL – whiteandwhite26@gmail.com

OFFICE ADDRESS (TAMIL NADU)



Steel fit interiors 5 , anbil dharmalingam nagar ,
edamalaipatti pudur trichy (620012)

M. 7904177347

Email – steelfitfactoryep@gmail.com

www.prograce.co

PROGRACE»»

STYLE & SPACE TOGETHER

Our Valuable Clients

We manufacture these month after month - every month and growing!



PUBLIC PLACE SEATING

CHAIRS/AIRPORT TERMINAL CHAIRS

Superior - Metal Visitor Chairs

Application Area:

Airport terminals, Hospitals, Railway stations and other large public areas.

Material Specification:

Chair-Seat : High quality cold rolled sheet is perforated, pressed and welded to form the shape. The surface is then cleaned with acid to remove rust and electrostatically coated with epoxy powder and then cured under heat to allow it to form a "skin". Thickness - 1.2mm.

Decorative Edge : High Quality is bent to form the shape and then the surface is polished to perfection.

Arm / Leg : High quality Mild Steel tube/ sheet is welded to form the shape. The surface is then cleaned with acid to remove rust and powder coated. Thickness - 1.2mm.

Cross bar : High quality cold rolled sheet is pressed and welded to form the shape and the surface is then cleaned with acid to remove rust and powder coated. Thickness-2mm.

Customization

Seat : Choice of single seater to five seater.

Colors : Choice of colors; CI-Thorne, Grey, Blue, Cherry and Black.

Arms: Can be customized to give different colors and finishes; powdercoating/ chrome plating.

Product Code: There is a provision of providing additional arms in between two seats where the product code becomes "AA" as suffix with its regular code e.g. 5002 becomes 5002 AA.

Legs : Can be customized to give different colors and finishes; powdercoating/ chrome plating.

Dimensions

Width : 710 mm

Height : 775mm


Length : 635mm per seat approx.

**Superior
Metal Chairs**



Superior - Metal Visitor Chairs

PROGRACE»
STYLE & SPACE TOGETHER




PRO/CH/001

Superior Metal Visitor Chair - Steel Seat, Steel Arms & Legs



PRO/CH/004

CHERRY




PRO/CH/002

Superior Metal Visitor Chair - Steel Seat, Steel Arms & Legs



PRO/CH/005

BLUE



PRO/CH/003

Superior Metal Visitor Chair - Steel Seat, Steel Arms & Legs



PRO/CH/006

BLACK

Colors Available



Cherry



Blue



Grey



Black

Superior - Aluminium Visitor Chairs

PROGRACE»»
STYLE & SPACE TOGETHER



PRO/CH/007

Superior Aluminium Chair with PU Cushion - Steel Seat, Aluminium Arms & Legs



Ultima - Metal Visitor Chairs

PROGRACE»»
STYLE & SPACE TOGETHER



PRO/CH/008

CHERRY



PRO/CH/009

BLUE



PRO/CH/010

BLACK

Colors Available



Cherry



Blue



Grey




Black

Skyler- Metal Visitor Chairs



PRO/CH/011

Product Code	
WVC - 5041	Single Seater
WVC - 5042	Two Seater
WVC - 5043	Three Seater
WVC - 5044	Four Seater



Stainless Steel - Visitor Chairs




PRO/CH/012

Features


- Easy to clean
- Maintenance free
- Anti-microbial properties
- Environmental friendly
- Internationally preferred public seating solution

Assembling Instructions

PROGRACE»»
STYLE & SPACE TOGETHER



Components
In Three
Seater Kit



Components
In Three
Seater Kit



Step 1:
Turn the seats up
side down and
place the centre
beam on it



Step 1:
Turn the seats up
side down and
fasten the clamps with allen
keys on each seat



Step 2:
Fasten the beam
with allen keys



Step 2:
Fasten the beam
with allen keys



Step 3:
Attach the
adjusters
to the legs



Step 3:
Attach the
adjusters
to the legs



Step 4:
Place the long
side of the leg
in front



Step 4:
Place the long
Screws in leg so that
it come up to be
fasten with the arm



Step 5:
Attach the legs
to centre beam



Step 5:
Attach the legs
to centre beam



Step 6:
Attach the arms
to centre beam



Step 6:
Attach the arms
to the legs and
fasten the screws
that put inside in
step 4



Step 7:
Check carefully
all the joints. The
seat is ready



Step 7:
Check carefully
all the joints. The
seat is ready

GARDEN & OUTDOOR FURNITURE

PROGRACE»»
STYLE & SPACE TOGETHER



PRO/CH/012



PRO/CH/013

Sitting 05



PRO/CH/014



Grapevine Black

PRO/CH/015

Antique Bloom



PRO/CH/016



Jumbo

PRO/CH/017





PRO/CH/018

Single SS 80
Litre Hanging



PRO/CH/019

SS 20
Litre Dustbin



PRO/CH/020

Sitting



LABORATORY FURNITURE

PROGRACE»»
STYLE & SPACE TOGETHER



PRO/TB/001

Overall size 4880mm L x 770mm D x 900mm H made up of C-frame understructure. All sheet metal items has of CRCA as per IS 513:1994. C-frame made of rectangular pipe with cross section of 60mm x 30mm & 2 mm thick with feet tolerance of -5mm to +20mm & skirting at bottom side. Horizontal members to connect C frame has made of rectangular pipes of CRCA MS 2mm thick of pipe dimension 60 x 30 x 2 mm. Side cover panels, back panels has made from CRCA MS panels of 0.8mm thick. Electrical trunking Double Sided having 32 electrical switches 16A & 32 sockets 16A with 16 six module plates. Welded understorage cabinet with intersection of vertical and horizontal members having provision to be relocated anywhere easily as an independent unit. Doors has assembled with hinge assembly. Intermediate horizontal channels has provided between door and drawer. Shelf slide to be provided. Knee space panel has in 22 gauge construction. 8 Understorages of Size 600mm W x 530mm D x 635mm H has supplied having 1 Drawer & 2 Shutters. Thickness of storage unit LH/RH Panels, shutter front, bottom panel, Top front, drawer separator, alignment channel, Back panel, Shutter cover, Fr. Rack strip, top cover has of 0.8mm thick. Handle polypropylene Recessed-Type. Lock facility with 180° and 10 lever cam lock mechanism (except for sink and corner unit). Shutter has of single-type construction. Ball Slide: 500mm Length (required only for drawer unit). Shutter should have provision of roller catch. Worktop has 19mm (+/- 2mm) thick Black Granite worktop with exposed edges chamfered. All steel frame-work is has pretreated with superior epoxy powder coated finish.

**LAB TABLE DOUBLE SIDE
WITH ELECTRICAL TRUNKING.
SIZE : L 4880 X D 1540 X H 900**

LABORATORY FURNITURE

PROGRACE»»
STYLE & SPACE TOGETHER



PRO/TB/002

Overall size 3680mm L x 1540mm D x 900mm H made up of C-frame understructure. All sheet metal items has of CRCA as per IS 513:1994. C-frame made of rectangular pipe with cross section of 60mm x 30mm & 2 mm thick with feet tolerance of -5mm to +20mm & skirting at bottom side. Horizontal members to connect C frame has made of rectangular pipes of CRCA MS 2mm thick of pipe dimension 60 x 30 x 2 mm. Side cover panels, back panels has made from CRCA MS panels of 0.8mm thick. Electrical trunking Double Sided having 24 electrical switches 16A & 24 sockets 16A with 12 six module plates. Welded understorage cabinet with intersection of vertical and horizontal members having provision to be relocated anywhere easily as an independent unit. Doors has assembled with hinge assembly. Intermediate horizontal channels has provided between door and drawer. Shelf has bend panel with 20mm height. single piece drawer tray supported on LH and RH ball slide to be provided. Knee space panel has in 22 gauge construction. 6 Understorages of Size 600mm W x 530mm D x 635mm H has supplied having 1 Drawer & 2 Shutters. Thickness of storage unit LH/RH Panels, shutter front, bottom panel, top cover has of 0.8mm thick. Handle 320606 trunking (except for sink and cover, Fr. Rack strip, top cover has with 180° and 10 lever cam lock mechanism (required only Recessed-Type. Lock facility with 180° and 10 lever cam lock mechanism (required only for drawer unit). Shutter should have provision of roller catch. Worktop has 19mm (+/- 2mm) thick Black Granite worktop with exposed edges chamfered. All steel frame-work is has pretreated with superior epoxy powder coated finish.

**LAB TABLE DOUBLE SIDE
WITH ELECTRICAL TRUNKING.
SIZE : L 3680 X D 1540 X H 900**

LABORATORY FURNITURE

PROGRACE»»
STYLE & SPACE TOGETHER



PRO/TB/003

Overall size 2480mm L x 1540mm D x 900mm H made up of C-frame understructure. All sheet metal items has of CRCA as per IS 513:1994. C-frame made of rectangular pipe with cross section of 60mm x 30mm & 2 mm thick with feet tolerance of -5mm to +20mm & skirting at bottom side. Horizontal members to connect C frame has made of rectangular pipes of CRCA MS 2mm thick of pipe dimension 60 x 30 x 2 mm. Side cover panels, back panels has made from CRCA MS panels 16A with 8 six module plates. Welded understorage cabinet with intersection of vertical and horizontal members having provision to be relocated anywhere easily as an independent unit. Doors has assembled with hinge assembly. Intermediate horizontal channels has provided between door and drawer. Shelf has bend panel with 20mm height. single piece drawer tray supported on LH and RH ball slide to be provided. Knee space panel has in 22 gauge construction. 4 Understorages of Size 600mm W x 530mm D x 635mm H has supplied having 1 Drawer & 2 Shutters. Thickness of storage unit LH/RH Panels, shutter front, bottom panel, top cover has of 0.8mm thick. Handle polypropylene Back panel, Shutter cover, Fr. Rack strip, top front, drawer separator, alignment channel, Recessed-Type. Lock facility with 180° and 10 lever cam lock mechanism (except for sink and corner unit). Shutter has of single-type construction. Ball Slide: 500mm Length (required only for drawer unit). Shutter should have provision of roller catch. Worktop has 19mm (+/- 2mm) thick Black Granite worktop with exposed edges chamfered. All steel frame-work is has pre-treated with superior epoxy powder coated finish.

**LAB TABLE SINGLE SIDE
WITH ELECTRICAL TRUNKING.
SIZE : L 2480 X D 770 X H 900**

LABORATORY FURNITURE

PROGRACE»»
STYLE & SPACE TOGETHER



PRO/TB/004

Overall size 4880mm L x 1540mm D x 900mm H made up of C-frame understructure. All sheet metal items has of CRCA as per IS 513:1994. C-frame made of rectangular pipe with cross section of 60mm x 30mm & 2 mm thick with feet tolerance of -5mm to +20mm & skirting at bottom side. Horizontal members to connect C frame has made of rectangular pipes of CRCA MS 2mm thick of pipe dimension 60 x 30 x 2 mm. Side cover panels, back panels has made from CRCA MS panels of 1.0mm thick. Fixed type CRCA Double Sided MS reagent shelves consisting of 2 stage horizontal storage shelves having 24 electrical switches 16A & 24 sockets 16A with 12 six module plates. Welded understorage cabinet with intersection of vertical and horizontal members having provision to be relocated anywhere easily as an independent unit. Doors has assembled with hinge assembly. Intermediate horizontal channels has provided between door and drawer. Shelf has bend panel with 20mm height. single piece drawer tray supported on LH and RH ball slide to be provided. Knee space panel has in 22 gauge construction. 12 Understorages of Size 600mm W x 530mm D x 635mm H has supplied. Six having 1 Drawer & 2 Shutters and Six having only 2 shutters. Thickness of storage unit LH/RH Panels, shutter front, bottom panel, Top front, drawer separator, alignment channel, Back panel, Shutter cover, Fr. Rack strip, top cover has of 0.8mm thick. Handle polypropylene Recessed-Type. Lock facility with 180° and 10 lever cam lock mechanism (except for sink and corner 503624 unit). Shutter should have provision of roller catch. Slide: 500mm Length (required only for drawer unit). Shutter has of single-type construction. Ball Worktop has 19mm (+/- 2mm) thick Black Granite worktop with exposed edges chamfered. Six S.S Sink of size 490mm x 405mm & depth 200mm. Bowl size 430 mm x 350mm. All steel frame-work is has pre-treated with superior epoxy powder coated finish.

**LAB TABLE DOUBLE SIDE
WITH REAGENT SHELF & SINK.
SIZE : L 6080 X D 1540 X H 900**

LABORATORY FURNITURE

PROGRACE»»
STYLE & SPACE TOGETHER



PRO/TB/005

Overall size 3680mm L x 1540mm D x 900mm H made up of C-frame understructure. All sheet metal items has of CRCA as per IS 513:1994. C-frame made of rectangular pipe with cross section of 60mm x 30mm & 2 mm thick with feet tolerance of -5mm to +20mm & skirting at bottom side. Horizontal members to connect C frame has made of rectangular pipes of CRCA MS 2mm thick of pipe dimension 60 x 30 x 2 mm. Side cover panels, back panels has made from CRCA MS panels of 1.0mm thick. Two 4' Fixed-Type CRCA MS Double Sided reagent shelves consisting of 2 stage horizontal storage shelves having 16 electrical switches 16A & 16 sockets 16A with 8 six module plates. Welded understorage cabinet with intersection of vertical and horizontal members having provision to be relocated anywhere easily as an independent unit. Doors has assembled with hinge assembly. Intermediate horizontal channels has provided between door and drawer. Shelf has bend panel with 20mm height. single piece drawer tray supported on LH and RH ball slide to be provided. Knee space panel has in 22 gauge construction. 8 Understorages of Size 600mm W x 530mm D x 635mm H has supplied. Four having 1 Drawer & 2 Shutters and Four having only 2 shutters. Thickness of storage unit LH/RH Panels, shutter front, bottom panel, Top front, drawer separator, alignment channel, Back panel, Shutter cover, Fr. Rack strip, top cover has of 0.8mm thick. Handle polypropylene Recessed-Type. Lock facility with 180° and 10 lever cam lock mechanism (except for sink and corner unit). Shutter has of single-type construction. Ball Slide: 500mm Length (required only for drawer unit). Shutter should have provision of roller catch. Worktop has 19mm (+/- 2mm) thick Black Granite worktop with exposed edges chamfered. Four S.S Sink of size 490mm x 405mm & depth 200mm. Bowl size 430 mm x 350mm. All steel frame-work is has pre-treated with superior epoxy powder coated finish.

**LAB TABLE DOUBLE SIDE WITH
REAGENT SHELF & SINK
SIZE : L 3680 X D 1540 X H 900**

LABORATORY FURNITURE

PROGRACE»»
STYLE & SPACE TOGETHER



PRO/TB/006

Overall size 2480mm L x 1540mm D x 900mm H made up of C-frame understructure. All sheet metal items has of CRCA as per IS 513:1994. C-frame made of rectangular pipe with cross section of 60mm x 30mm & 2 mm thick with feet tolerance of -5mm to +20mm & skirting at bottom side. Horizontal members to connect C frame has made of rectangular pipes of CRCA MS 2mm thick of pipe dimension 60 x 30 x 2 mm. Side cover panels, back panels has made from CRCA MS panels of 1.0mm thick. Fixed-Type CRCA MS Double Sided reagent shelves consisting of 2 stage horizontal storage shelves having 8 electrical switches 16A & 8 sockets 16A with 4 six module plates. Welded understorage cabinet with intersection of vertical and horizontal members having provision to be relocated anywhere easily as an independent unit. Doors has assembled with hinge assembly. Intermediate horizontal channels has provided between door and drawer. Shelf has bend panel with 20mm height. single piece drawer tray supported on LH and RH ball slide to be provided. Knee space panel has in 22 gauge construction. 6 Understorages of Size 600mm W x 530mm D x 635mm H has supplied. Four having 1 Drawer & 2 Shutters and two having only 2 shutters. Thickness of storage unit LH/RH Panels, shutter front, bottom panel, Top front, drawer separator, alignment channel, Back panel, Shutter cover, Fr. Rack strip, top cover has of 0.8mm thick. Handle polypropylene Recessed-Type. Lock facility with 180° and 10 lever cam lock mechanism (except for sink and corner unit). Shutter has of single-type construction. Ball Slide: 500mm Length (required only for drawer unit). Shutter should have provision of roller catch. Worktop has 19mm (+/- 2mm) thick Black Granite worktop with exposed edges chamfered. Two S.S Sink of size 490mm x 405mm & depth 200mm. Bowl size 430 mm x 350mm. All steel frame-work is has pre-treated with superior epoxy powder coated finish.

**LAB TABLE DOUBLE SIDE WITH
REAGENT SHELF & SINK
SIZE : L 2480 X D 1540 X H 900**

LABORATORY FURNITURE

PROGRACE»»
STYLE & SPACE TOGETHER



PRO/TB/008

Overall size 3680mm L x 770mm D x 900mm H made up of C-frame understructure. All sheet metal items has of CRCA as per IS 513:1994. C-frame made of rectangular pipe with cross section of 60mm x 30mm & 2 mm thick with feet tolerance of -5mm to +20mm & skirting at bottom side. Horizontal members to connect C frame has made of rectangular pipes of CRCA MS 2mm thick of pipe dimension 60 x 30 x 2 mm. Side cover panels, back panels has made from CRCAMS panels of 1.0mm thick. Fixed-Type CRCA Single Sided MS reagent shelves consisting of 2 stage horizontal storage shelves having 8 electrical switches 16A & 8 sockets 16A with 4 six module having provision to be relocated anywhere easily as an independent unit. Doors has assembled with hinge assembly. Intermediate horizontal channels has provided between door and drawer. Shelf has bend panel with 20mm height. single piece drawer tray supported on LH and RH ball slide to be provided. Knee space panel has in 22 gauge construction. 4 Understorages of Size 600mm W x 530mm D x 635mm H has supplied. Two having 1 Drawer & 2 Shutters and two having only 2 shutters. Thickness of storage unit LH/RH Panels, shutter front, bottom panel, Top front, drawer separator, alignment channel, Back panel, Shutter cover, Fr. Rack strip, top cover has of 0.8mm thick. Handle polypropylene Recessed-Type. Lock facility with 180° and 10 lever cam lock mechanism (except for sink and corner unit). Shutter should have provision of roller catch. Worktop has 19mm (+/- 2mm) only for drawer unit). Shutter has of single-type construction. Ball Slide: 500mm Length (required thick Black Granite worktop with exposed edges chamfered. Two S.S Sink of size 490mm x 405mm & depth 200mm. Bowl size 430 mm x 350mm. All steel frame-work is has pre-treated with superior epoxy powder coated finish.

**LAB TABLE SINGLE SIDE WITH
REAGENT SHELF & SINK
SIZE : L 3680 X D 770 X H 900**



PRO/TB/009

The Laboratory table has made up of CRCA frame duly powder coated & overall size has 2500 length mm x 750 depth mm x 900 mm height. The entire frame assembly has made up of CRCA Tube as per I.S Code 7138:1973 & Sheet metal of CRCA as per I.S Code 513:1994. The frame vertical & horizontals has constructed out of rectangular pipe of cross section 60 mm x 30 mm x 2 mm thick. The storages has welded type & suspended on frame & has made up of 0.8 mm thick CRCA sheets. There has total four storages, two on each side of sizes 695 width x 480 mm depth having open space in between to enable user working. Each storage shall have one drawer & one shutter below. Door Hinges & drawer channels to be used of Hettich/ Ebco make. The top surface of the Lab table has provided with a Black Granite of thickness 18 mm (+/-2 mm) with edges duly chamfered & moulded. The granite overhang has 25mm at front & back side with backing material as 6 mm neoprene mat.

WALL SIDE UNIT
L 2480 X D 770 X H 990



PRO/TB/010

The Laboratory table has made up of CRCA frame duly powder coated & overall size has 2500 length mm X 1500 depth mm x 900 mm height. The entire frame assembly has made up of CRCA Tube as per I.S Code 7138:1973 & Sheet metal of CRCA as per I.S Code 513: 1994. The frame vertical & horizontal has constructed out of rectangular pipe of cross section 60 mm x 30 mm x 2 mm thick. The storages has welded type & suspended on frame & has made up of 0.8 mm thick CRCA sheets. There has 4 storage provided, two on each side having open space in between to enable user working. Each storage shall have one drawer & one shutter below. Door Hinges & drawer channels to be used of Hettich/ Ebco make. The top surface of the Lab table has provided with a Black Granite of thickness 18 mm (+/- 2mm) with edges duly chamfered & moulded. The granite overhang has 25mm at front & back side with backing material as 6 mm neoprene mat. Shelf provided in the storage cabinets has made up of 0.8mm thick CRCA sheet. Reagent shelf to be made upto of 0.8mm thick high yield strength CRCA sheet of grade 'D' confirming to IS:513. Electrical wires provision only to be provided in the reagent shelves with switches & sockets.


ISLAND UNIT
L 2480 X D 1540 X H 990

LOCKERS/STEEL CLOTH LOCKER

PROGRACE»»
STYLE & SPACE TOGETHER



PRO/LK/001



PRO/LK/002

 **Quality Cold Rolled Steel**

 **Multilever lock with two keys**


 **Fully Powder Coated with 8 Tant Anti Rust Process**

 **Waterproof and Moisture Resistant**

 **Ventilation slots for odour free storage.**



PRO/LK/003



PRO/LK/004



PRO/LK/005

**NOTE - ANY TYPE OF CUSTOMIZATION IN LOCKERS ARE ACCEPTABLE
(MINIMUM QTY: 20 NOS)**

METAL SHELVING RACKS



PRO/RK/001



PRO/RK/002



PRO/RK/003



PRO/RK/004



PRO/RK/005



PRO/RK/006




PRO/RK/007



PRO/RK/008

METAL SHELVING RACKS

PROGRACE»»
STYLE & SPACE TOGETHER



PRO/RK/009



PRO/RK/010



PRO/RK/011



PRO/RK/012



PRO/RK/013



PRO/RK/014



PRO/RK/015



PRO/RK/016




PRO/RK/017

STEEL STORAGE SOLUTION.

PROGRACE»»
STYLE & SPACE TOGETHER



PRO/RK/018




PRO/RK/019



PRO/RK/020



PRO/RK/021



PRO/RK/022



PRO/RK/023



PRO/RK/024



PRO/RK/025



PRO/RK/026



PRO/RK/027



PRO/RK/028



PRO/RK/029



PRO/RK/030

STEEL STORAGE SOLUTION.

PROGRACE»»
STYLE & SPACE TOGETHER



PRO/RK/031



PRO/RK/032



PRO/RK/033



PRO/RK/034



PRO/RK/035



PRO/RK/036



PRO/RK/037



PRO/RK/038



PRO/RK/039

STEEL CLOTH LOCKERS

PROGRACE >>>
STYLE & SPACE TOGETHER



PRO/RK/040



PRO/RK/041



PRO/RK/042



PRO/RK/043



PRO/RK/044



PRO/RK/045



PRO/RK/046



PRO/RK/047



PRO/RK/048



PRO/RK/049



PRO/RK/050

REVOLVING MAGAZINE DISPLAY RACK

PROGRACE»»
STYLE & SPACE TOGETHER



PRO/DP/001



PRO/DP/002



PRO/DP/005



PRO/DP/006



PRO/DP/007



20-POCKET
FLOOR STAND

PRO/DP/003



4-POCKET
WALL-MOUNT



9-POCKET
WALL-MOUNT

PRO/DP/004

DRAWING TABLE/TRUSSELS & PODIUM

PROGRACE»»
STYLE & SPACE TOGETHER



PRO/DP/008



PRO/DP/009



PRO/DP/010



PRO/DP/011



PRO/DP/012




PRO/DP/013



PRO/DP/014



PRO/DP/015



PRO/DP/016

CATEGORY CLASSROOM DESKING & SEATING

PROGRACE»»
STYLE & SPACE TOGETHER



PRO/DK/001



PRO/DK/002



PRO/DK/003



PRO/DK/004



PRO/DK/005



PRO/DK/006



PRO/DK/007



PRO/DK/008



PRO/DK/009



PRO/DK/010



PRO/DK/011



PRO/DK/012

CATEGORY CLASSROOM DESKING & SEATING

PROGRACE»»
STYLE & SPACE TOGETHER



PRO/DK/013



PRO/DK/014



PRO/DK/015



PRO/DK/016



PRO/DK/017



PRO/DK/018



PRO/DK/019



PRO/DK/020



PRO/DK/021



PRO/DK/022



PRO/DK/023



PRO/DK/024

CATEGORY CLASSROOM DESKING & SEATING

PROGRACE»»
STYLE & SPACE TOGETHER



PRO/DK/025



PRO/DK/026



PRO/DK/027



PRO/DK/028



PRO/DK/029



PRO/DK/030



PRO/DK/031



PRO/DK/032



PRO/DK/033



PRO/DK/034



CATEGORY CLASSROOM DESKING & SEATING

PROGRACE»»
STYLE & SPACE TOGETHER



PRO/DK/035



PRO/DK/036



PRO/DK/037



PRO/DK/038



PRO/DK/039



PRO/DK/040



PRO/DK/041



PRO/DK/042



PRO/DK/043



PRO/DK/044

CATEGORY CLASSROOM DESKING & SEATING

PROGRACE»»
STYLE & SPACE TOGETHER



PRO/DK/045



PRO/DK/046



PRO/DK/047



PRO/DK/048



PRO/DK/049



PRO/DK/050



PRO/DK/051



PRO/DK/052




PRO/DK/053



PRO/DK/054



PRO/DK/055



PRO/DK/056

CATEGORY CLASSROOM DESKING & SEATING

PROGRACE»»
STYLE & SPACE TOGETHER



PRO/DK/057



PRO/DK/058



PRO/DK/059



PRO/DK/060



PRO/DK/061



PRO/DK/062



PRO/DK/063



PRO/DK/064



PRO/DK/065



PRO/DK/066



PRO/DK/067



PRO/DK/068



PRO/SE/001

CONTRACT 01 SOFT PVC WITH ARMS

- Frame made up of SS 202 with Mirror finish
 - Seat and Back made up of Ply and cushion upholstered with Soft PVC
 - Fabric upholstery also available in Maroon, Blue and Black
 - Stackable Design for space utilization
 - Chair with arm with PP top
- 590D X 530W X 787H



PRO/SE/002

CONTRACT 01 WITHOUT ARM

- SS Tubular Frame
 - PVC upholstered Seat & Back.
 - Special Interlocking facility with Nylon footcap
 - Available in Crepe Fabric as well
 - Recommended for emergency evacuation
- 507W X 570D X 755H



PRO/SE/003

CONTRACT 05 WITHOUT ARM

- SS Tubular Frame
 - PVC upholstered Seat and Back
 - easy stacking upto 10 levels
 - Comes with ganging and labelling facilities
 - Nylon foot cap
 - Side interlocking arrangement available on request
- 529W X 605D X 786H



PRO/SE/004

CONTRACT 02 WITH ARM

- SS Tubular Frame
 - PVC upholstered Seat and Back
 - PP Armrest for extra support and comfort
 - Nylon footcap
- 550W X 605D X 788H



PRO/SE/005

CONTRACT 02 SOFT PVC WITHOUT ARMS

- Frame made up of SS 202 with Mirror finish
 - Seat and Back made up of Ply and cushion upholstered with Soft PVC
 - Stackable Design for space utilization
- 605D X 486W X 765H



PRO/SE/006

AMAZE WITH ARM-REST

- Upholstered seat cushion on PP seat insert
 - perforated backrest made of polypropylene
 - fixed height arm rest with integral skin polyurethane arm pad
 - Powder coated tubular frame
- 580W X 600D X 800H





PRO/SE/015



PRO/SE/016



PRO/SE/017



PRO/SE/018



PRO/SE/021



PRO/SE/022



PRO/SE/023



PRO/SE/024



PRO/SE/019



PRO/SE/020



PRO/SE/025



PRO/SE/026



PRO/SE/028



PRO/SE/029



PRO/SE/030



PRO/SE/031



PRO/SE/032



PRO/SE/033



PRO/SE/034



PRO/SE/035

SEATING COLLECTION

PROGRACE»»
STYLE & SPACE TOGETHER

FULL VALUE

For Money



PRO/SE/037



PRO/SE/036



PRO/SE/038



PRO/SE/040



PRO/SE/039



PRO/SE/041

SEATING COLLECTION

PROGRACE»»
STYLE & SPACE TOGETHER

BRIGHT

n Stylish



PRO/SE/043



PRO/SE/042



PRO/SE/044



PRO/SE/046



PRO/SE/045



PRO/SE/047

SEATING COLLECTION

PROGRACE»»
STYLE & SPACE TOGETHER

COMFORTABLE

Luxury



ES-331



PRO/SE/048



PRO/SE/049



ES-334



PRO/SE/050



PRO/SE/051

luxury redefined

19



ES-325



PRO/SE/052



PRO/SE/053



ES-328



PRO/SE/054



PRO/SE/055

SEATING COLLECTION

PROGRACE»»
STYLE & SPACE TOGETHER

VALUE

For Life



ES-119



PRO/SE/056



PRO/SE/057



ES-322



PRO/SE/058



PRO/SE/059

STYLE

Statement



ES-113



PRO/SE/060



PRO/SE/061




ES-116



PRO/SE/062



PRO/SE/063



ES-307



PRO/SE/064



PRO/SE/065



ES-310



PRO/SE/066



PRO/SE/067

SEATING COLLECTION

PROGRACE»»
STYLE & SPACE TOGETHER

GRACEFUL

Comfort



ES-301



PRO/SE/068



PRO/SE/069



ES-304



PRO/SE/070



PRO/SE/071

SEATING COLLECTION


PROGRACE»»
STYLE & SPACE TOGETHER



PRO/SE/072



PRO/SE/073



PRO/SE/074



PRO/SE/075



MS-114



PRO/SE/076



PRO/SE/077

HEALTHY *Working*



PRO/SE/078



PRO/SE/079



PRO/SE/080



PRO/SE/082



PRO/SE/081



PRO/SE/083

COMFORT

for Life



PRO/SE/084



PRO/SE/085



PRO/SE/086



PRO/SE/088



PRO/SE/087



PRO/SE/089

HOSTEL BED

PROGRACE»»
STYLE & SPACE TOGETHER




PRO/BD/001



PRO/BD/002



PRO/BD/003



PRO/BD/004




PRO/BD/005



PRO/BD/006



PRO/BD/007



PRO/BD/008



PRO/BD/009



PRO/BD/010



PRO/BD/011



PRO/BD/012



PRO/BD/013



PRO/BD/014

COMPUTER TABLE

PROGRACE»
STYLE & SPACE TOGETHER



PRO/CTB/001



PRO/CTB/002



PRO/CTB/003



PRO/CTB/004



PRO/CTB/005



PRO/CTB/006



PRO/CTB/007



PRO/CTB/008



PRO/CTB/009




PRO/CTB/010




PRO/CTB/011

CONFERENCE TABLE CATEGORY

PROGRACE»»
STYLE & SPACE TOGETHER



CAFETERIA SERIES



PRO/CF/001



PRO/CF/002



PRO/CF/003



PRO/CF/004



PRO/CF/005



PRO/CF/006



PRO/CF/007



PRO/CF/008



PRO/CF/009



PRO/CF/010



PRO/CF/011



PRO/CF/012



PRO/CF/013



PRO/CF/014



PRO/CF/015



PRO/CF/016



PRO/CF/017



PRO/CF/017



PRO/CF/018



PRO/CF/019



PRO/CF/020



PRO/CF/021



PRO/CF/022



PRO/CF/023



PRO/CF/024

STUDY TABLE & STUDY CHAIRS



PRO/CF/025



PRO/CF/026



PRO/CF/027



PRO/CF/028



PRO/CF/029



PRO/CF/030



PRO/CF/031



PRO/CF/032



PRO/CF/033



PRO/CF/034



SOFAS AND CENTRE TABLE

PROGRACE»»
STYLE & SPACE TOGETHER



PRO/SF/001



Solid Beech Wood

PRO/SF/002



PRO/SF/003



Shelf Storage

Designer Legs

PRO/SF/004



Granite Tabletop in
Grizzly White Finish

PRO/SF/005



PRO/SF/006

Solid Wood Brick-Patterned
Tabletop

Exotic Veneer Base
in Natural Finish

Spacious
Shelf



PRO/SF/007



Ample Leg
Space

Solid Wood
Designer Legs

PRO/SF/008